

Fig. 1
(Prior Art)



Fig. 2


104
MESSAGES
Reliable Messages
(e.g. java.net.Socket)
Unreliable Messages
(e.g. java.net.DatagramSocket)
Others
106
TCP
UPD
Others
IP
Others
Network Driver (Ethernet, TokenRing,.....)

Fig. 3


Discovery
Service
messages
Discovery
Front-end
xml
Search Facility

Fig. 4


Dynamic
Client Profile
Claim and Release (a lease)
Find (an object)
Write and Take (an object)
Notify on Write
Public Apis
Dynamic XML to / from Objects
Send / Receive Byte Messages
Connection Transport
Static
Client Profile
Static XML Message Definitions
Send / Receive Byte Messages
Connection Transport

Fig. 5


Space
114
XML
Messages
XML
Messages
110
Any Client
Device
/ Service
112
XML
Messages

Fig. 6


Message Capable Network Transport
Device
120
Client
110a
Java Virtual
Machine
Device
122
Service
112a
Client
110b
Device
124
Client
110c
Native Code
Runtime
Environment

Fig. 7


Space 114
132
XML advertisement
Client 110
130
Gate
2. instantiate
1. publish
3. run
Service 112

Fig. 8


Client 110
1. run
Service 112
3. access
2. publish
XML Results
134
Space 114

Fig. 9



Fig. 10a



Fig. 10b



Fig. 11a



Fig. 11b


156
Message Gate
150
154
160
Key
Schema
Name
Conductor
152
Lease
Dest.
GateName
Transport Ref.
153
158
Client or Service
Message Gate
Message System
Message System
Transport
Transport

Fig. 12


Web Server
XML
Messages
Browser
400
HTTP / HTML
or XML
WAP
Servlet
402
Service
Generated
Code used
by servlet
Browser client
SPACE
Client

Fig. 13

09/754,938



Fig. 14



Fig. 15


Meta-Data
Attribute
504
Attribute
504
Advertisement
500
Element
502
Element
502
Element
502

Fig. 16


1
Drafted
2
5
Published
3
4
Persistent

Fig. 17


Discovery Listener Agent 202
Space 204b
Advertisements
Space (for results of service) 204c
Advertisements
Discovery: Request for Spaces
Discovery: Response with Space Advertisement
Advertisements
206
Space 204a
Service 208
Client or Service
1. Via Discovery
Client or Service 200b
2. Via Advertisement of Space Service in Another Space
Client or Service
3. Via Some Service (e.g. web-enabled one)
200a

Fig. 18


Space
Space
Space Federation
Space

Fig. 19


Client runs authentication service for space
300
Client constructs gate for accessing space
302
Client sends message to space to run space service
304
Space runs authentication service to identify client
306
Space determines client capabilities and binds them to client identity (token)
308
Messaging proceeds between client and space - client may access space facilities
310

Fig. 20


SpaceEvent
AdvertisementEvent
AdvInsertEvent
AdvRemoveEvent
AdvElementEvent
AdvElementInsertEvent
AdvElementRemoveEvent
AdvElementChangeEvent
AdvEleAttributeEvent
AdvEleAttributeInsertEvent
AdvEleAttributeRemoveEvent
AdvEleAttributeChangeEvent

Fig. 21

Sun-P5760-US



Fig. 22



Fig. 23


Proximity-based device
1400
Service
Advertisement
1416
Space 1406
Service
Advertisement
1416
Service
Advertisement
1418
Device
1404
Proximity
connections
1414
Transport
1412
Proximity-based device
1402
Service
Advertisement
1418
Device
1408
Device
1410

Fig. 24


Find advertisements
SPACE Filled with Resource Advertisements
Add advertisements
Renewal Messages
Renewal Messages
Gate
Clients
Service Providers

Fig. 25



FIG. 26a



FIG. 26b

00E80 9T2E5960



Fig. 27


Discovery
Results
Space
1226
Device
Service
advertisement
1227
Create space
for results
1234
Distributed
Computing
Environment
Add
Advertisement
1232
Discovery
Service
advertisement
1225
Register
1230
Bluetooth
Discovery Service
1220
Space with
registered
discovery services
1224

Fig. 28

00E80 9726960

Fig. 30





Fig. 29


Space 1308
Display Service Advertisement 1306
Display Service 1304
1326
1328
1324
Display 1302
Service 1310
1322
Client 1300
1320
Space 1314
Service Advertisement 1312

Fig. 31

0078809 9128960



Fig. 32A



Fig. 32B



Fig. 33A
(Prior Art)



Fig. 33B
(Prior Art)



Fig. 33C


Client 1500
Java Object 1510
Object Compilation 1512
XML data stream 1514
Gate 1504
XML message 1516
Java Object 1520
Object Decompilation 1518
XML data stream 1522
XML message 1524
Service 1502
Gate 1506
XML data stream 1514
Object Decompilation 1518
Java Object 1510
XML data stream 1522
Object Compilation 1512
Java Object 1520

Fig. 34



Fig. 35a



Fig. 35b


Transient Store
1600
XML-encapsulated Transient Results
1610
XML Advertisement for Service A
1608
XML Advertisement for Transient Results
1612
XML Advertisement for Persistent Store
1614
XML Advertisement for Persistent Results
1616
Persistent Store
1602
XML-encapsulated Persistent Results
1618
Client
1604
Service A
1606

Fig. 36

00T680" 9T2E5960



Fig. 37

00TE80" 9T2E5960



Fig. 38

00T680" 9T2E5960



Fig. 39a



Fig. 39b

00E80 9T2E596D



Fig. 40a



Fig. 40b


Gate factory obtains authentication credential and message schema
1010
Gate factory generates client gate using authentication credential and message schema
1012
Gate factory supplies client gate to client
1014

FIG. 41



FIG. 42a



FIG. 42b

Docket No. 50277-0800


Sender embeds authentication credential in message
1040
Sender sends message
1042
Receiver receives message
1044
Receiver compares authentication credential in message to known authentication credential to authenticate message
1046

FIG. 42c


Sender embeds credential in message
1050
Sender sends message
1052
Receiver receives message
1054
Receiver examines credential and message to verify message has not been compromised
1056

FIG. 43


Client requests lease on resource provided by service
2000
Service grants lease on resource to client
2002
Client requests renewal of lease
2004
Service grants renewal of lease
2006
Client requests cancelation of lease
2008
Service cancels lease
2010

FIG. 44